


**Colorectal Carcinoma
in the Czechlands:
reflecting past, learning from future**

Prof. Jan Žaloudík, MD,PhD

2013

future




past
Czech National Cancer Registry
since 1977

**maximal
reference
values**

...colorectal carcinogenesis takes 10-20 years...

C18-C21 - Colon and rectum, men


Comparison of incidence in the Czech Republic and other countries in the Europe, recalculation per 100.000 persons



M

C18-C21 - Tlusté střevo a konečník, muži


srovnání incidence v ČR s ostatními zeměmi světa, ASR - světový standard



2002

C18-C21 - Colon and rectum, women

Comparison of incidence in the Czech Republic and other countries in the Europe, recalculation per 100.000 persons




F

2008

C18-C21 - Tlusté střevo a konečník, ženy

srovnání incidence v ČR s ostatními zeměmi světa, ASR - světový standard



Place of the Czech Republic: 1


Pořadí České republiky: 3

Place of the Czech Republic: 6

Pořadí České republiky: 15


Colonic Cancer

Základní epidemiologie Diagnóza C18




Gastric Cancer

Základní epidemiologie Diagnóza C16



Colonic Cancer

Základní epidemiologie Diagnóza C18




Colonic carcinoma (C18) : trend of the M/I index - lethality

1983	0,72
1988	0,67
1993	0,62
1998	0,59
2003	0,55
2008	0,53
2010	0,47




Zastoupení klinických stadií Diagnóza C18




Colonic Cancer

Analýza přežití Diagnóza C18



this is a mouse

frontal approach




caudal approach

this is a cancer

frontal oncology

= prevention,
early detection,
curative therapy



caudal oncology
paliative treatment

we need more support for frontal approach !!

.. and do not forget also economy...

